

Printing date 07/17/2018

Reviewed on 07/17/2018

1 Identification

· Product identifier

· Trade name: FotoDent IBT 385 nm

- Application of the substance / the mixture
 Material based on (meth-)acrylate resin for DLP systems with 385 nm LED for the manufacturing
 of dental indirect bonding trays
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dreve Dentamid GmbH Max-Planck-Straße 31 59423 Unna / Germany Tel.: + 49 2303 / 8807-0 Fax.: +49 2303 / 8807-55
- Information department: Department Research & Development Fax.: +49 2303 8807-562 Email: sicherheitsdatenblatt@dreve.de Emergency telephone number:
- +49 211 797-3350 Plant Fire Department Henkel

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Repr. 2

H361 Suspected of damaging fertility or the unborn child.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.Eye Irrit. 2A H319 Causes serious eye irritation.Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

- Hazard-determining components of labeling: Aliphatic difunctional Urethane Acrylate Diphenyl(2,4,6-trimethylbenzoyl)phosphinoxide 2-phenoxyethyl methacrylate
- Hazard statements
 Causes skin irritation.
 Causes serious eye irritation.

(Contd. on page 2)

Printing date 07/17/2018

Safety Data Sheet acc. to OSHA HCS



Reviewed on 07/17/2018

Trade name: FotoDent IBT 385 nm

(Contd. of page 1) May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. **Classification system:** · NFPA ratings (scale 0 - 4) Health = 2Fire = 1Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2 FIRE 1 Fire = 1Reactivity = 0REACTIVITY 0 · Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
	Aliphatic difunctional Urethane Acrylate	25-50%		
10595-06-9	2-phenoxyethyl methacrylate	25-50%		
29964-84-9	isodecyl methacrylate	2.5-10%		
	Urethantrimethacrylat, aliphatisch	2.5-10%		
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphinoxide	≤2.5%		
• Additional information: For the wording of the listed bazard phrases refer to section 16				

information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- · After inhalation:
 - Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

US



Reviewed on 07/17/2018

Printing date 07/17/2018

Trade name: FotoDent IBT 385 nm

(Contd. of page 2)

· After swallowing:

Do not induce vomiting.

Call a doctor immediately.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- \cdot Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eyes.
- Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1:
- None of the ingredients is listed.
- · PAC-2:
 - None of the ingredients is listed.
- · PAC-3:
 - None of the ingredients is listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid contact with skin and eyes.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

US



Printing date 07/17/2018

Reviewed on 07/17/2018

Trade name: FotoDent IBT 385 nm

(Contd. of page 3)

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Protect from heat and direct sunlight.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Protective gloves should be changed regularly, especially after intensive contact with the product. For every workplace a suitable type of protective gloves must be selected.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

As there are many different conditions in every day work these indications can only serve as an aid to orientation for the selection of suitable gloves for the handling of chemical products. By no means they can replace qualifying examinations by the end-user.

Diese Empfehlung gilt nur für das im Sicherheitsdatenblatt genannte Produkt. Bei Vermischung mit anderen Substanzen und bei von der EN 374 abweichenden Bedingungen müssen Sie sich an den Hersteller von CE-genehmigten Handschuhen wenden.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

US



Reviewed on 07/17/2018

(Contd. of page 4)

Trade name: FotoDent IBT 385 nm

Printing date 07/17/2018

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

Appearance: Form:	Fluid
Color:	Colorless-transparent
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	263 °C (505.4 °F)
Flash point:	100 °C (212 °F)
Flammability (solid, gaseous):	Not applicable.
gnition temperature:	295 °C (563 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties	Not determined
Vapor pressure:	Not determined.
Density at 20 °C (68 °F):	1.05 g/cm³ (8.76225 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.

-US

Printing date 07/17/2018

Reviewed on 07/17/2018

Trade name: FotoDent IBT 385 nm

(Contd. of page 5)

- · Viscosity:
 - Dynamic:
- Kinematic:

Not determined. Not determined. No further relevant information available.

10 Stability and reactivity

- **Reactivity** No dangerous reactions if used according to specifications
- Chemical stability Stable if used according to specifications • Thermal decomposition / conditions to be avoided:
- Protect from heat and direct sunlight. No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

10595-06-9 2-phenoxyethyl methacrylate

Oral LD50 5,000 mg/kg (rat)

29964-84-9 isodecyl methacrylate

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >3,000 mg/kg (rabbit)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Irritant
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.
- · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 7)





Printing date 07/17/2018

Reviewed on 07/17/2018

(Contd. of page 6)

HS

Trade name: FotoDent IBT 385 nm

• Persistence and degradability No further relevant information available.

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.


- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT	Void
· ADR, IMDG, IATA	UN3082
· UN proper shipping name	
·DOT	Void
· ADR	3082 UMWELTGEFÄHRDENDER STOFF
	FLÜSSIG, N.A.G. ((5-ethyl-1,3-dioxan-5-yl)meth
	acrylate, 2-phenoxyethyl methacrylate)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCI
	LIQUID, N.O.S. ((5-ethyl-1,3-dioxan-5-yl)methy
	acrylate, 2-phenoxyethyl methacrylate), MARIN
	POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCI
	LIQUID, N.O.S. ((5-ethyl-1,3-dioxan-5-yl)meth
	acrylate, 2-phenoxyethyl methacrylate)



Reviewed on 07/17/2018

	(Contd. of page
Transport hazard class(es)	
· DOT · Class	Void
ADR, IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles 9
· Packing group · DOT · ADR, IMDG, IATA	Void III
· Environmental hazards: · Marine pollutant:	Product contains environmentally hazardou substances: (5-ethyl-1,3-dioxan-5-yl)methy acrylate, 2-phenoxyethyl methacrylate Yes Symbol (fish and tree)
 Special marking (ADR): Special marking (IATA): 	Symbol (fish and tree) Symbol (fish and tree)
• Special precautions for user	Warning: Miscellaneous dangerous substances an articles
· Danger code (Kemler): · EMS Number: · Stowage Category	90 F-A,S-F A
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Il of Not applicable.
 Transport/Additional information: 	According to special provision no 375 (ADR chapte 3.3) and according to special provision no 96 (IMDG chapter 3.3 in conjunction with IMDC chapter 2.10.2.7) single -respectively inne packagings with a net quantity < 5 I / 5 kg aren liable to the regulations, meaning those don't nee to be sent as hazardous goods. Labelling wit pictogram GHS09 is not necessary.
ADR Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
· IATA · Remarks:	According to special provision no A197 (IAT, chapter 4.4) single -respectively inner packaging with a net quantity $< 5 \mid / < 5$ kg aren't liable to th regulations, meaning those don't need to be sent as



Reviewed on 07/17/2018

Trade name: FotoDent IBT 385 nm

	(Contd. of page 8)
	hazardous goods. Labelling with pictogram GHS09 is not necessary.
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. ((5-ETHYL-1,3- DIOXAN-5-YL)METHYL ACRYLATE, 2- PHENOXYETHYL METHACRYLATE), 9, III

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredient is listed.
- · Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.
- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:
- None of the ingredients is listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency)
- None of the ingredients is listed.
- TLV (Threshold Limit Value established by ACGIH)
- None of the ingredients is listed.
- · MAK (German Maximum Workplace Concentration)
- None of the ingredients is listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



US



Printing date 07/17/2018

Reviewed on 07/17/2018

Trade name: FotoDent IBT 385 nm (Contd. of page 9) · Signal word Warning · Hazard-determining components of labeling: Aliphatic difunctional Urethane Acrylate Diphenyl(2,4,6-trimethylbenzoyl)phosphinoxide 2-phenoxyethyl methacrylate · Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Department Research & Development · Contact: Dr. Thomas Veit, Lothar Sutor · Date of preparation / last revision 07/17/2018 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1

Repr. 2: Reproductive toxicity – Category 2

JS -